



## บันทึกข้อความ

ส่วนราชการ ภาควิชาวิศวกรรมไฟฟ้า คณะวิศวกรรมศาสตร์ มหาวิทยาลัยอุบลราชธานี โทร. 3329  
ที่ ศธ 0529.8.6/พิเศษ วันที่ 23 มกราคม พ.ศ. 2555  
เรื่อง ขออนุมัติงบประมาณสนับสนุนการนำเสนอบทความทางวิชาการระดับนานาชาติ

เรียน รองคณบดีฝ่ายวิจัยและบริการวิชาการ

ด้วย ดร.ศุภฤกษ์ จันทร์จรสจิตต์ ตำแหน่ง อาจารย์ ประจำภาควิชาวิศวกรรมไฟฟ้าและอิเล็กทรอนิกส์ มีความประสงค์จะเข้าร่วมการนำเสนอบทความทางวิชาการระดับนานาชาติ ในการประชุมวิชาการระดับนานาชาติ International MultiConference of Engineers and Computer Scientists 2012 ระหว่างวันที่ 14-16 มีนาคม 2555 ณ ประเทศฮ่องกง โดยบทความทางวิชาการที่จะนำเสนอ เรื่อง Examination of Temporal Characteristics of Epileptic EEG Subbands Based on the Local Min-Max จึงถือเป็นโอกาสอันดีในการสร้างชื่อเสียงให้กับมหาวิทยาลัยอุบลราชธานี

ดังนั้น ภาควิชาวิศวกรรมไฟฟ้าและอิเล็กทรอนิกส์ จึงใคร่ขออนุมัติงบประมาณสนับสนุนในการนำเสนอผลงานตามรายละเอียดดังต่อไปนี้

1. ค่าลงทะเบียน (USD540)	จำนวน 17,010 บาท
2. ค่ายานพาหนะระหว่างประเทศ	จำนวน 12,750 บาท
3. ค่าเช่าที่พักในต่างประเทศ (4,800 บาท x 4 วัน)	จำนวน 19,200 บาท
4. ค่าพาหนะประจำทางและรถรับจ้างในต่างประเทศ	จำนวน 600 บาท
5. ค่าเบี้ยเลี้ยงในต่างประเทศ (2,100 บาท x 3 วัน)	จำนวน 6,100 บาท
6. ค่าพาหนะประจำทางและรถรับจ้างภายในประเทศ	จำนวน 400 บาท
7. ค่าเบี้ยเลี้ยงภายในประเทศ (210 บาท x 1 วัน)	จำนวน 210 บาท
รวมเป็นเงินทั้งสิ้น	จำนวน 56,270 บาท

จึงเรียนมาเพื่อโปรดพิจารณา

(ดร.ประสิทธิ์ นศรราช)

หัวหน้าภาควิชาวิศวกรรมไฟฟ้าและอิเล็กทรอนิกส์

เรียน รองคณบดีฝ่ายวิจัยและบริการวิชาการ

ตามที่ ดร.ศุภฤกษ์ จันทร์จรสจิตต์  
ขอขออนุมัติงบประมาณสนับสนุน  
ในการนำเสนอผลงานทางวิชาการ  
เรื่อง Examination of Temporal Characteristics of Epileptic EEG  
Subbands Based on the Local Min-Max

23 ม.ค. 55



Suparerk Janjarasjitt <sxj44@case.edu>

## Review result for the manuscript submissions in IMECS 2012

1 message

IAENG Conferences - IMECS 2012 <imecs@iaeng.org>

Tue, Jan 17, 2012 at 11:00 PM

To: sxj44@case.edu

Dear Dr. Suparerk Janjarasjitt,

[Review result for the manuscript submissions in IMECS 2012]

Thanks for your submission to the International MultiConference of Engineers and Computer Scientists 2012 (IMECS 2012). It is our pleasure to tell you that your manuscript

- paper number: ICEE\_124
- title: Examination of Temporal Characteristics of Epileptic EEG Subbands Based on the Local Min-Max

has been accepted for the IMECS 2012. Please read the attached review report.

There is an appeal system that we will arrange two other reviewers for your submitted paper if you do not agree with the grading or comment(s) in this review.

For the accepted and registered papers, they will be included in the conference proceeding published by IAENG (ISBN: 978-988-19251-1-4) in hardcopy. The length of each camera-ready paper will be limited to 6 (IEEE style, double-column) pages. Each conference participant will be entitled to one proceeding at the conference. The accepted papers will also be considered for further publication, e.g. in the special issues of the IAENG journals and in edited book. The proceeding will be indexed in major database indexes so that it can be assessed easily.

Important Dates:  
Camera-Ready Papers Due & Registration Deadline (extended): 31 January, 2012  
IMECS 2012: 14-16 March, 2012

\*\*\*

The details about the registration are available at:  
<http://www.iaeng.org/IMECS2012/registration.html>

\*\*\*

The details about the camera-ready paper format and templates are available at:  
<http://www.iaeng.org/IMECS2012/publication.html>

To ensure the correctness of the format, you are required to check your revised paper against the checklist available for download at  
[http://www.iaeng.org/publication/download/Checklist\\_camera-ready\\_general.pdf](http://www.iaeng.org/publication/download/Checklist_camera-ready_general.pdf)

You are advised to send it immediately once it is ready instead of waiting till the deadline. Usually, authors need to submit revised version more than once before getting accepted as camera-ready version.

\*\*\*

Only accepted and registered papers in camera-ready will be included in the proceedings book

\*\*\*

The details about the accommodation are available at:  
<http://www.iaeng.org/IMECS2012/travel.html>

\*\*\*

More details about the IMECS Best Paper Awards are available at:  
<http://www.iaeng.org/IMECS2012/program.html>

Assistant Secretary  
IMECS 2012 Organizing Committee  
<http://www.iaeng.org/IMECS2012/>


Engineering Letters  
<http://www.engineeringletters.com/>

IAENG International Journal of Computer Science  
<http://www.iaeng.org/IJCS/>

IAENG International Journal of Applied Mathematics  
<http://www.iaeng.org/IJAM/>

IAENG Secretariat  
Unit 1, 1/F, 37-39 Hung To Road, Hong Kong

---

 **review\_form\_ICEE\_124.txt**  
2K

---

# Examination of Temporal Characteristics of Epileptic EEG Subbands Based on the Local Min-Max

Suparerk Janjarasjitt and Kenneth A. Loparo

**Abstract**—Temporal characteristics of EEG signal provide insight into the state of the brain. In this work, temporal characteristics of spectral subbands of epileptic EEG data associated with different pathological states of the brain including  $\delta$ ,  $\theta$ ,  $\alpha$ ,  $\beta$  and  $\gamma$  subbands are examined using two features of local minima and local maxima, referred to the number of local min-max and the variance of local min-max intervals. The computational results show the substantial differences between the temporal characteristics of the epileptic EEG signal during an epileptic seizure activity and during a non-seizure period in any subband. Furthermore, the epileptic EEG signal during an epileptic seizure activity exhibits different temporal characteristics between the low and high frequency subbands as compared to the epileptic EEG signal during a non-seizure period.

**Index Terms**—electroencephalogram, epilepsy, seizure, local min-max, subbands.

## I. INTRODUCTION

EPILEPSY is a common brain disorder in which clusters of neurons signal abnormally [1]. More than 50 million individuals worldwide, about 1% of the world's population are affected by epilepsy [2]. In epilepsy, the normal pattern of neuronal activity is disturbed, causing strange sensations, emotions, and behavior, that sometimes include convulsions, muscle spasms, and loss of consciousness [1]. There are many possible causes for seizures ranging from illness to brain damage to abnormal brain development [1], and epileptic seizures are manifestations of epilepsy [3]. The electroencephalogram (EEG) is a signal that quantifies the electrical activity of the brain, usually from scalp recordings and is commonly used to assess and detect brain abnormalities, and is crucial for the diagnosis of epilepsy [1].

Temporal patterns of EEG signals can provide important information and such features can be obtained by visual inspection/analysis and using computational tools. Concepts and computational tools derived from the study of complex systems including nonlinear dynamics have gained increasing interest for applications in biology and medicine [4]. The correlation integral and dimension are common nonlinear dynamical analysis techniques that have been applied to EEG signal analysis [5] to study various aspects. Epilepsy is an important application for nonlinear EEG analysis [6], [7].

Manuscript received January 7, 2012. This work was supported by Ubon Ratchathani University.

S. Janjarasjitt is with the Department of Electrical and Electronic Engineering, Ubon Ratchathani University, Ubon Ratchathani, 34190 Thailand e-mail: ensupajit@ubu.ac.th.

K. A. Loparo is with the Department of Electrical Engineering and Computer Science, Case Western Reserve University, Cleveland, OH, 44106 USA.

In this paper, the temporal characteristics of epileptic EEG data are examined in terms of *local minima* and *local maxima*. There are a variety of different approaches to determining local minima and maxima and typically, local min-max detection algorithms rely on thresholding the magnitudes in a specified time window. The local minima (local maxima) here is defined as a point whose amplitude is less (greater) than its neighbors. The local minima and maxima thus specify extreme points of the signal where the magnitude changes direction. Previously, the characteristics of the local min-max of the epileptic EEG signals were investigated in [8]–[10]. Also, in [11], the characteristics of the local min-max were examined in the sleep EEG data associated with various sleep stages.

The features of the local minima and maxima examined in this paper are the total number of the local minima and maxima, referred to as the number of local min-max, and the variance of the sequence of distances between two consecutive local minima and maxima, referred to as the variance of local min-max intervals. In this paper, as compared to the full-spectrum of EEG signal investigated in [8]–[10], the temporal characteristics of five spectral subbands of intracranial EEG data obtained from epilepsy patients corresponding to different pathological states of the brain (i.e., during a non-seizure period and during an epileptic seizure activity) including  $\delta$  (1–4 Hz),  $\theta$  (4–8 Hz),  $\alpha$  (8–13 Hz),  $\beta$  (14–30 Hz), and  $\gamma$  (31–80 Hz) are examined.

From the computational results, it is shown that there are substantial differences between the temporal characteristics of the epileptic EEG signals during an epileptic seizure activity and during a non-seizure period in any subbands. Further, the number of local min-max  $N_\lambda$  of epileptic EEG signal during an epileptic seizure activity is significantly different from that during a non-seizure period at the  $\alpha$ ,  $\beta$  and  $\gamma$  subbands, and the variance of local min-max intervals  $V_\lambda$  of epileptic EEG signal during an epileptic seizure activity is significantly different from that during a non-seizure period at the  $\delta$ ,  $\alpha$  and  $\gamma$  subbands. Also, the epileptic EEG signal during an epileptic seizure activity corresponds to different temporal characteristics (i.e., the number of local min-max  $N_\lambda$  and the variance of local min-max intervals  $V_\lambda$ ) at the lower and higher frequency subbands as compared to that during a non-seizure period.

## II. METHODS

### A. Data and Subjects

The intracranial EEG data of epilepsy patients examined in this study were obtained from the Department of Epileptology, University of Bonn (available online




Fig. 1. Examples of intracranial EEG signals of the data sets  $D$  (non-seizure) and  $E$  (seizure).




Fig. 2. Local minima  $\lambda_{\min}$  plotted in '△' and local maxima  $\lambda_{\max}$  plotted in '▽'.

at [http://epileptologie-bonn.de/cms/front\\_content.php?idcat=193&lang=3&changelang=3](http://epileptologie-bonn.de/cms/front_content.php?idcat=193&lang=3&changelang=3)) and originated from the study presented in [12]. Two sets of EEG data, referred to as sets  $D$  and  $E$ , were recorded using intracranial electrodes from five epilepsy patients. Both sets of EEG data were recorded from within the epileptogenic zone. Further, the EEG data in the set  $D$  corresponds to non-seizure periods while the EEG data in the set  $E$  were recorded during seizure activity.

Each epileptic EEG data set contains 100 epochs of a single-channel that were selected to be free of artifacts such as muscle activity and eye movements. The length of each epoch is 23.6 seconds (4097 samples). In addition, the epochs of the EEG signal satisfied the weak stationarity criterion given in [12]. The sampling rate of the data is 173.61 Hz and a bandpass filter with passband between 0.50 Hz and 85 Hz was used during signal acquisition. Examples of the epileptic EEG signals for each data set are depicted in Fig. 1.

### B. Local Minima and Local Maxima

Let the sequence  $\{x[n]\}$  be samples from a signal for  $n = 0, 1, \dots, N-1$ , where  $N$  is the length of signal. The local minima  $\lambda_{\min}$  of the signal  $x$  are defined as point whose amplitude is less than that of its consecutive preceding and

succeeding points while the local maxima  $\lambda_{\max}$  are defined as point whose amplitude is greater than that of its consecutive preceding and succeeding points.

Computationally, the local minima  $\lambda_{\min}$  and maxima  $\lambda_{\max}$  are given by

$$\lambda_{\min} = \left\{ n = \left\lceil \frac{s+t}{2} \right\rceil \mid x[s-1] > x[n] \text{ and } x[t+1] > x[n] \right\} \quad (1)$$

and

$$\lambda_{\max} = \left\{ n = \left\lceil \frac{s+t}{2} \right\rceil \mid x[s-1] < x[n] \text{ and } x[t+1] < x[n] \right\} \quad (2)$$

where  $x[s] = x[s+1] = \dots = x[n] = x[n+1] = \dots = x[t]$ . The local minima and maxima of an EEG signal are depicted in Fig. 2.

### C. Local Min-Max Characteristics

Temporal characteristics of the spectral subbands of the EEG signals are examined based on two features quantified




Fig. 3. Comparison of the number of local min-max  $N_\lambda$  of the spectral subbands of the EEG data of sets  $D$  and  $E$ .

from the local minima  $\lambda_{\min}$  and the local maxima  $\lambda_{\max}$  defined as follows:

1) *Number of local min-max:*

The number of local min-max  $N_\lambda$  is the total number of both local minima  $\lambda_{\min}$  and local maxima  $\lambda_{\max}$  of the EEG signal.

2) *Variance of local min-max intervals:*

The variance of local min-max intervals  $V_\lambda$  is the variance of the sequence of distances between two consecutive local minima and maxima  $i_\lambda$ .

#### D. Analytical Framework

In this study, the intracranial EEG signal of the EEG data of sets  $D$  and  $E$  is divided into five spectral subbands:  $\delta$  (1–4 Hz),  $\theta$  (4–8 Hz),  $\alpha$  (8–13 Hz),  $\beta$  (14–30 Hz), and  $\gamma$  (31–80 Hz). The temporal characteristics, i.e., the number of local min-max  $N_\lambda$  and the variance of local min-max intervals  $V_\lambda$ , of all five spectral subbands including the  $\delta$ ,  $\theta$ ,  $\alpha$ ,  $\beta$  and  $\gamma$  subbands are examined. The two-sample  $t$ -test is performed to determine whether both local min-max characteristics of each spectral subbands of EEG data set  $D$  significantly differs from that of the data set  $E$ .

### III. RESULTS

The box plots shown in Fig. 3(a), Fig. 3(b), Fig. 3(c), Fig. 3(d) and Fig. 3(e), respectively, compare the number of local min-max  $N_\lambda$  of the  $\delta$ ,  $\theta$ ,  $\alpha$ ,  $\beta$  and  $\gamma$  subbands of the epileptic EEG data sets  $D$  and  $E$ . The variance of local min-max intervals  $V_\lambda$  of the  $\delta$ ,  $\theta$ ,  $\alpha$ ,  $\beta$  and  $\gamma$  subbands of the

epileptic EEG data sets  $D$  and  $E$  are compared in Fig. 4(a), Fig. 4(b), Fig. 4(c), Fig. 4(d) and Fig. 4(e), respectively. The central mark of each box is the median mark while the edges of the box are the 25th and 75th percentiles. In addition, the mean, median and standard deviation of both local min-max characteristics, i.e.,  $N_\lambda$  and  $V_\lambda$ , of the EEG subbands are summarized in Table I. Evidently, the epileptic EEG data of sets  $D$  and  $E$  associate with different characteristics of the local min-max of various spectral subbands, i.e.,  $\delta$ ,  $\theta$ ,  $\alpha$ ,  $\beta$  and  $\gamma$ . The number of local min-max  $N_\lambda$  of the epileptic EEG data of both sets  $D$  and  $E$  tends to increase with higher frequency subbands while the variance of local min-max intervals  $V_\lambda$  of the epileptic EEG data of both sets  $D$  and  $E$  tends to decrease with higher frequency subbands.

The number of local min-max  $N_\lambda$  of the  $\delta$  and  $\theta$  subbands of the epileptic EEG data of set  $E$  tends to be higher than that of the data set  $D$ . On the contrary, the number of local min-max  $N_\lambda$  of the  $\beta$  and  $\gamma$  subbands of the epileptic EEG data of set  $E$  tends to be less than that of the data set  $D$ . Also, the variance of local min-max intervals  $V_\lambda$  of the epileptic EEG data of set  $E$  tends to be lower than that of the data set  $D$  at the lower frequency subbands (i.e.,  $\delta$ ,  $\theta$  and  $\alpha$ ) while, at the higher frequency subbands (i.e.,  $\beta$  and  $\gamma$ ), the variance of local min-max intervals  $V_\lambda$  of the epileptic EEG data of set  $E$  tends to be higher than that of the data set  $D$ . Note that the degree of difference between the number of local min-max  $N_\lambda$  of the spectral subbands of the epileptic EEG data sets tends to increase with higher frequency subbands.

The results of the two-sample  $t$ -test comparing between the local min-max characteristics, i.e.,  $N_\lambda$  and  $V_\lambda$ , of the




Fig. 4. Comparison of the variance of local min-max intervals  $V_\lambda$  of the spectral subbands of the EEG data of sets  $D$  and  $E$ .

TABLE I  
STATISTICAL VALUES OF THE LOCAL MIN-MAX CHARACTERISTICS OF THE SPECTRAL SUBBANDS OF THE EEG DATA OF SETS  $D$  AND  $E$ .

Feature	Data Set	Subband	Mean	Median	S. D.
$N_\lambda$	$D$	$\delta$	133.19	133.00	9.90
$N_\lambda$	$D$	$\theta$	293.74	292.00	20.58
$N_\lambda$	$D$	$\alpha$	483.87	483.00	15.57
$N_\lambda$	$D$	$\beta$	970.55	972.00	47.11
$N_\lambda$	$D$	$\gamma$	2477.78	2502.00	131.03
$N_\lambda$	$E$	$\delta$	140.26	141.00	14.60
$N_\lambda$	$E$	$\theta$	290.06	287.00	12.83
$N_\lambda$	$E$	$\alpha$	520.74	521.00	18.63
$N_\lambda$	$E$	$\beta$	889.32	880.00	70.88
$N_\lambda$	$E$	$\gamma$	1903.43	1883.00	160.84
$V_\lambda$	$D$	$\delta$	139.79	132.64	50.51
$V_\lambda$	$D$	$\theta$	14.34	14.36	4.10
$V_\lambda$	$D$	$\alpha$	3.48	3.39	0.75
$V_\lambda$	$D$	$\beta$	1.78	1.75	0.31
$V_\lambda$	$D$	$\gamma$	0.59	0.57	0.08
$V_\lambda$	$E$	$\delta$	91.63	81.07	49.84
$V_\lambda$	$E$	$\theta$	11.09	12.13	5.27
$V_\lambda$	$E$	$\alpha$	2.50	2.63	0.77
$V_\lambda$	$E$	$\beta$	2.01	1.98	0.43
$V_\lambda$	$E$	$\gamma$	0.68	0.69	0.08

spectral subbands, i.e.,  $\delta$ ,  $\theta$ ,  $\alpha$ ,  $\beta$  and  $\gamma$ , of the epileptic EEG data of sets  $D$  and  $E$  are summarized in Table II. From the two-sample  $t$ -test for the number of local min-max  $N_\lambda$ , the results suggest that there are statistically significant differences between the number of local min-max  $N_\lambda$  of the  $\alpha$ ,  $\beta$  and  $\gamma$  subbands of the epileptic EEG data of sets  $D$  and  $E$  with a  $p$ -value of 0.000001. Furthermore, the results of two-sample  $t$ -test for the variance of local min-max intervals  $V_\lambda$  suggest that there are statistically significant differences between the variance of local min-max intervals  $V_\lambda$  of the  $\delta$ ,  $\alpha$  and  $\gamma$  subbands of the epileptic EEG data of sets  $D$  and  $E$  with a  $p$ -value of 0.000001.

#### IV. CONCLUSIONS AND DISCUSSION

In this paper, the temporal characteristics of the spectral subbands of epileptic EEG data as quantified from the local minima and maxima are examined. The epileptic EEGs were divided into five subbands:  $\delta$ ,  $\theta$ ,  $\alpha$ ,  $\beta$ , and  $\gamma$ . Two local min-max characteristics of the subbands of epileptic EEG data examined are referred to as the number of local min-max  $N_\lambda$  and the variance of local min-max intervals  $V_\lambda$ . In [9], [10], it was shown that the number of local min-max  $N_\lambda$  of the full-spectrum EEG signal during an epileptic seizure activity tends to be lower than that during a non-seizure period while the variance of local min-max intervals  $V_\lambda$  of the full-spectrum EEG signal during an epileptic seizure activity tends to be higher than that during a non-seizure period. Moreover, a decrease of the number of local min-max  $N_\lambda$  and an increase of the variance of local min-max intervals

TABLE II  
RESULTS OF  $t$ -TEST OF THE LOCAL MIN-MAX CHARACTERISTICS OF  
THE SPECTRAL SUBBANDS OF THE EEG DATA OF SETS  $D$  AND  $E$ .

Feature	Subband	Hypothesis	$p$ -value
$N_\lambda$	$\delta$	$H_0$ cannot be rejected	$p = 0.000087$
$N_\lambda$	$\theta$	$H_0$ cannot be rejected	$p = 0.130718$
$N_\lambda$	$\alpha$	$H_0$ can be rejected	$p \ll 0.000001$
$N_\lambda$	$\beta$	$H_0$ can be rejected	$p \ll 0.000001$
$N_\lambda$	$\gamma$	$H_0$ can be rejected	$p \ll 0.000001$
$V_\lambda$	$\delta$	$H_0$ can be rejected	$p < 0.000001$
$V_\lambda$	$\theta$	$H_0$ cannot be rejected	$p = 0.000002$
$V_\lambda$	$\alpha$	$H_0$ can be rejected	$p \ll 0.000001$
$V_\lambda$	$\beta$	$H_0$ cannot be rejected	$p = 0.000028$
$V_\lambda$	$\gamma$	$H_0$ can be rejected	$p \ll 0.000001$

$V_\lambda$  of the full-spectrum long-term electrocorticogram (ECoG) signal during a seizure onset were shown in [8].

From the computational results, it is shown that both the number of local min-max  $N_\lambda$  and the variance of local min-max intervals  $V_\lambda$  of various subbands of the epileptic EEG data for both non-seizure and seizure periods are substantially different. The number of local min-max  $N_\lambda$  increases while the variance of local min-max intervals  $V_\lambda$  with a higher frequency subband. This is as expected since at a higher-frequency subband the EEG signal contains faster oscillating components. As a result, the amplitude of EEG signal varies faster and the interval between extrema of EEG signal becomes narrower. Further, the temporal characteristics of the epileptic EEG signals during an epileptic seizure activity and a non-seizure period are also basically different for each subbands.

At the low frequency subbands (i.e.,  $\delta$  and  $\alpha$ ) the number of local min-max  $N_\lambda$  of the epileptic EEG data of set  $D$  tends to be higher than that of set  $E$  but the number of local min-max  $N_\lambda$  of the epileptic EEG data of set  $D$  at the high frequency subbands (i.e.,  $\beta$  and  $\gamma$ ) tends to be lower than that of set  $E$ . This indicates that there is a higher rate of amplitude variation of the low frequency contents of EEG signal during an epileptic seizure activity than that during a non-seizure period. On the other hand, the rate of amplitude variation of the high frequency contents of EEG signal during a non-seizure period tends to be higher than that during an epileptic seizure activity.

In addition, the variance of local min-max intervals  $V_\lambda$  of the epileptic EEG data of set  $D$  at the low frequency subbands (i.e.,  $\delta$ ,  $\theta$  and  $\alpha$ ) tends to be lower than that of

set  $E$  but at the high frequency subbands (i.e.,  $\beta$  and  $\gamma$ ) the variance of local min-max intervals  $V_\lambda$  of the epileptic EEG data of set  $D$  tends to be higher than that of set  $E$ . This indicates that the regularity of amplitude variation of the low frequency contents of the epileptic EEG signal during an epileptic seizure activity is lower than that during a non-seizure period. The regularity of amplitude variation of the high frequency contents of the epileptic EEG signal during an epileptic seizure activity is higher than that during a non-seizure period.

Therefore, as quantified using the local minima and maxima, at the low frequency subbands the rate of amplitude variation of epileptic EEG signal during an epileptic seizure activity is higher but its temporal variability is less as compared to that during a non-seizure period. This is however reversed at the high frequency subbands. The rate of amplitude variation of epileptic EEG signal during an epileptic seizure activity is lower while the regularity of amplitude variation is less as compared to that during a non-seizure period.

## REFERENCES

- [1] Seizure and Epilepsy: Hope through Research National Institute of Neurological Disorders and Stroke (NINDS), Bethesda, MD, 2004 [Online]. Available: [http://www.ninds.nih.gov/disorders/epilepsy/detail\\_epilepsy.htm](http://www.ninds.nih.gov/disorders/epilepsy/detail_epilepsy.htm)
- [2] B. Litt and J. Echauz, "Prediction of epileptic seizures," *Lancet Neurology*, vol. 1, pp. 22–30, 2002.
- [3] A. Subasi, "Epileptic seizure detection using dynamic wavelet network," *Expert Systems with Applications*, vol. 29, pp. 343–355, 2005.
- [4] A. L. Goldberger, "Complex systems," *Proc. Am. Thorac. Soc.*, vol. 3, pp. 467–472, 2006.
- [5] W. S. Pritchard and D. W. Duke, "Measuring chaos in the brain: a tutorial review of EEG dimension estimation," *Brain Cogn.*, vol. 27, pp. 353–397, 1995.
- [6] C. E. Elger, G. Widman, R. Andrzejak, J. Arnhold, P. David, and K. Lehnertz, "Nonlinear EEG analysis and its potential role in epileptology," *Epilepsia*, vol. 41(Suppl.), pp. S34–S38, 2000.
- [7] C. E. Elger, G. Widman, R. Andrzejak, M. Dimpelman, J. Arnhold, P. Grassberger, and K. Lehnertz, "Value of nonlinear time series analysis of the EEG in neocortical epilepsies," in *Advance in Neurology*, P. D. Williamson, A. M. Siegel, D. W. Roberts, V. M. Thadani, and M. S. Gazzaniga, Ed. Philadelphia: Lippincott Williams & Wilkins, 2000.
- [8] S. Janjarsjitt and K. A. Loparo, "Temporal variability of the ECoG signal during epileptic seizures," in *Proc. ECTI-CON*, 2010, pp. 332–336.
- [9] S. Janjarsjitt and K. A. Loparo, "Comparison of temporal variability of epileptic ECoG signals," in *Proc. ICEIE*, 2010, pp. V2259–V2263.
- [10] S. Janjarsjitt and K. A. Loparo, "Investigation of temporal variability of epileptic EEG signals," in *Proc. TENCON*, 2010, pp. 359–363.
- [11] S. Janjarsjitt, "Investigation of temporal variability of sleep EEG," in *Proc. ICICS*, 2011.
- [12] R. G. Andrzejak, K. Lehnertz, F. Mormann, C. Rieke, P. David, and C. E. Elger, "Indications of nonlinear deterministic and finite-dimensional structures in time series of brain electrical activity: Dependence on recording region and brain state," *Phys. Rev. E*, vol. 64, pp. 061907 1–8, 2001.



**IAENG International Conference on Electrical Engineering (ICEE'12)****Hong Kong, 14-16 March, 2012**[Conferences](#)[Publications](#)[Membership](#)[About IAENG](#)[FAQ](#)[Contact Us](#)

The IAENG International Conference on Electrical Engineering (ICEE'12) will take place in Hong Kong, 14-16 March, 2012.

The conference ICEE'12 is held under the International MultiConference of Engineers and Computer Scientists 2012. The IMECS 2012 is organized by the International Association of Engineers (IAENG), a non-profit international association for the engineers and the computer scientists. The IMECS conferences serve as good platforms for our members and the entire engineering community to meet with each other and to exchange ideas. Our IMECS committees have been formed with over three hundred conference committees members who are mainly research center heads, faculty deans, department heads, professors, and research scientists from over 30 countries. The last IMECS 2011 has attracted more than eight hundred participants from over 50 countries. All submitted papers will be under peer review and accepted papers will be published in the conference proceeding (ISBN: 978-988-19251-1-4). The abstracts will be indexed and available at major academic databases. The accepted papers will also be considered for publication in the special issues of the journal Engineering Letters, in IAENG journals and in edited books.

**Calls for Manuscript Submissions****Important Dates:**

Final Paper Submission Deadline (extended): 1 January, 2012

Final Paper Submission Deadline (extended): 31 January, 2012 **NEW!**

Abstract Submission Deadline

The topics of the ICEE'12 include, but not limited to, the following:

Biotechnology: such as EEG, ECG, and EKG, various other monitoring equipment

Electronics: such as integrated circuit, computer, electronic amplifier

Power engineering: such as electrical generators, electric power transmission

Telecommunication: such as television, radio, mobile phone, optical multiple access technologies

Control engineering: such as auto pilot, cruise control, climate control, space exploration, smart bomb

Signal processing: such as electronic filter, digital filter, video and audio codec, radar, sonar, beamforming

**Special Session: Design, Analysis and Tools for Integrated Circuits and Systems (DATICS'12)**

The special session focuses on all areas of design, analysis and tools for circuits, systems and communications. DATICS general chairman is Dr. Ka Lok Man, Xi'an Jiaotong-Liverpool University (China - UK) and Myongji University (South Korea). Prospective authors of the special session DATICS'12 are invited to submit their draft paper to be limited to a maximum length of 6 pages in full paper at <https://www.easychair.org/account/signin.cgi?conf=daticsimecs12> by 8 December 2011.

More details of DATICS'12 can be found at:

<http://datics.nesca-conference.org/datics-imecs2012/>

**ICEE Conference Co-Chairs and Committee Members:**

Dr. Maaruf Ali

Senior Lecturer in Telecommunications Engineering & Media Technology,

Department of Electronic Engineering, School of Technology, Oxford Brookes University, UK;

Vice-chair of the IEE Berkshire Specialist Branch on Electronics, Control, Computing and Communications

Mu-Song Chen (co-chair)

Associate Professor, Department of Electrical Engineering

Da-Yeh University, Taiwan

Yen-Wen Chen

Associate Professor, Dept. of Communication Engineering

Hung-Yuan Chung

Professor, Department of Electrical Engineering, National Central University, Taiwan

Yi-Nung Chung (co-chair)

Associate Professor, Department of Electrical Engineering

Da-Yeh University, Taiwan

Chun-Fei Hsu

Assistant Professor of Electrical Engineering,

Department of Electrical Engineering, Chung Hua University, Taiwan

Feng-Li Lian

Assistant Professor, Department of Electrical Engineering

National Taiwan University, Taiwan

Chih-Min Lin (co-chair)

Chairman and Professor

Department of Electrical Engineering

Yuan-Ze University, Taiwan

Prof. K.L. Man

Professor, Dept. of Computer Science & Software Engineering, Xi'an Jiaotong-Liverpool University, China

Prof. A.B. Rad (co-chair)

Professor, Faculty of Engineering and Industrial Sciences

Swinburne University of Technology, Australia

Wen-Jye Shyr

Assistant Professor, Department of Industrial Education and Technology,

National Changhua University of Education, Taiwan

Huan-liang Tsai

Assistant Professor, Department of Electrical Engineering, Da-Yeh University, Taiwan

Tsung-Han Tsai (co-chair)

Associate Professor, Dept. of Electrical Engineering

National Central University, Taiwan

Rong-Jong Wai

Professor, Department of Electrical Engineering,

Yuan Ze University, Taiwan

G.C. Yang

Professor, Department of Electrical Engineering

National ChungHsing University, Taiwan

### **Special Session DATICS Chairman and Committee Members:**

#### **General Chairs**

\* Ka Lok Man, Xi'an Jiaotong-Liverpool University (China-UK) and Myongji University (South Korea)

\* Chi-Un Lei, University of Hong Kong (Hong Kong)

\* Abhilash Goyal, Sun Microsystems-Oracle (USA)

\* Tomas Krilavičius, Vytautas Magnus University (Lithuania)

#### **International Program Committee**

- \* Graziano Pravadelli, University of Verona, Italy
- \* Yui Fai Lam, Hong Kong University of Science and Technology, Hong Kong
- \* Vladimir Pavlov, International Software and Productivity Engineering Institute, USA
- \* Ajay Patel, Intelligent Support Ltd, United Kingdom
- \* Jinfeng Huang, Philips & LiteOn Digital Solutions Netherlands, The Netherlands
- \* Thierry Vallee, Georgia Southern University, Statesboro, Georgia, USA
- \* Menouer Boubekeur, University College Cork, Ireland
- \* Monica Donno, Miteos, Italy
- \* Jun-Dong Cho, Sung Kyun Kwan University, South Korea
- \* AHM Zahirul Alam, International Islamic University Malaysia, Malaysia
- \* Gregory Provan, University College Cork, Ireland
- \* Miroslav N. Velez, Aries Design Automation, USA
- \* M. Nasir Uddin, Lakehead University, Canada
- \* Dragan Bosnacki, Eindhoven University of Technology, The Netherlands
- \* Dave Hickey, University College Cork, Ireland
- \* Milan Pastrnak, Siemens IT Solutions and Services, Slovakia
- \* John Herbert, University College Cork, Ireland
- \* Zhe-Ming Lu, Sun Yat-Sen University, China
- \* Jeng-Shyang Pan, National Kaohsiung University of Applied Sciences, Taiwan
- \* Chin-Chen Chang, Feng Chia University, Taiwan
- \* Mong-Fong Horng, Shu-Te University, Taiwan
- \* Liang Chen, University of Northern British Columbia, Canada
- \* Chee-Peng Lim, University of Science Malaysia, Malaysia
- \* Ngo Quoc Tao, Vietnamese Academy of Science and Technology, Vietnam
- \* Salah Merniz, Mentouri University, Constantine, Algeria
- \* Oscar Valero, University of Balearic Islands, Spain
- \* Yang Yi, Sun Yat-Sen University, China
- \* Damien Woods, University of Seville, Spain
- \* Franck Vedrine, CEA LIST, France
- \* Bruno Monsuez, ENSTA, France
- \* Kang Yen, Florida International University, USA
- \* Takenobu Matsuura, Tokai University, Japan
- \* R. Timothy Edwards, MultiGiG, Inc., USA
- \* Olga Tveretina, Karlsruhe University, Germany
- \* Maria Helena Fino, Universidade Nova De Lisboa, Portugal
- \* Adrian Patrick O'Riordan, University College Cork, Ireland
- \* Grzegorz Labiak, University of Zielona Gora, Poland
- \* Jian Chang, Texas Instruments, Inc, USA
- \* Yeh-Ching Chung, National Tsing-Hua University, Taiwan
- \* Anna Derezinska, Warsaw University of Technology, Poland
- \* Kyoung-Rok Cho, Chungbuk National University, South Korea
- \* Yong Zhang, Shenzhen University, China
- \* R. Liutkevicius, Vytautas Magnus University, Kaunas, Lithuania
- \* Yuanyuan Zeng, University College Cork, Ireland
- \* D.P. Vasudevan, University College Cork, Ireland
- \* Arkadiusz Bukowiec, University of Zielona Gora, Poland
- \* Maziar Goudarzi, University College Cork, Ireland
- \* Jin Song Dong, National University of Singapore, Singapore
- \* Dhamin Al-Khalili, Royal Military College of Canada, Canada
- \* Zainalabedin Navabi, University of Tehran, Iran
- \* Lyudmila Zinchenko, Bauman Moscow State Technical University, Russia
- \* Muhammad Almas Anjum, National University of Sciences and Technology (NUST), Pakistan
- \* Deepak Laxmi Narasimha, University of Malaya, Malaysia
- \* Danny Hughes, Xi'an Jiaotong-Liverpool University, China

- \* Yanyan Wu, Xi'an Jiaotong-Liverpool University, China
- \* Wen Chang Huang, Kun Shan University, Taiwan
- \* Masahiro Sasaki, The University of Tokyo, Japan
- \* Vineet Sahula, Malaviya National Institute of Technology, India
- \* D. Boolchandani, Malaviya National Institute of Technology, India
- \* Zhao Wang, Xi'an Jiaotong-Liverpool University, China
- \* Shishir K. Shandilya, NRI Institute of Information Science & Technology, India
- \* J.P.M. Voeten, Eindhoven University of Technology, The Netherlands
- \* Wichian Sittiprapaporn, Mahasarakham University, Thailand
- \* Aseem Gupta, Freescale Semiconductor Inc., Austin, TX, USA
- \* Kevin Marquet, Verimag Laboratory, France
- \* Matthieu Moy, Verimag Laboratory, France
- \* Ramy Iskander, LIP6 Laboratory, France
- \* Suryaprasad Jayadevappa, PES School of Engineering, India
- \* S. Hariharan, B. S. Abdur Rahman University, Tamilnadu, India
- \* Chung-Ho Chen, National Cheng-Kung University, Taiwan
- \* Kyung Ki Kim, Daegu University, Korea
- \* Shiho Kim, Chungbuk National University, Korea
- \* Hi Seok Kim, Cheongju University, Korea
- \* Nan Zhang, Xi'an Jiaotong-Liverpool University, China
- \* Brian Logan, University of Nottingham, UK
- \* Ben Kwang-Mong Sim, Gwangju Institute of Science & Technology, Korea
- \* Asoke Nath, St. Xavier's College (Autonomous), India
- \* Tharwon Arunuphaptrairong, Chulalongkorn University, Thailand
- \* Shin-Ya Takahasi, Fukuoka University, Japan
- \* Cheng C. Liu, University of Wisconsin at Stout, USA
- \* Farhan Siddiqui, Walden University, Minneapolis, USA
- \* Dario Krešić, University of Zagreb, Croatia

#### Organising Chairs

- \* Michele Mercaldi, EnvEve, Switzerland
- \* Lai Khin Wee, Technische Universitat Ilmenau, Germany
- \* Nan Zhang, Xi'an Jiaotong-Liverpool University, China-UK
- \* Kaiyu Wan, Xi'an Jiaotong-Liverpool University, China-UK
- \* Jieming Ma, Xi'an Jiaotong-Liverpool University, China-UK

**IAENG**

**Engineering  
Letters**



HONG KONG TOURISM BOARD



THOMSON REUTERS

**INSPIRE**






International Association of Engineers

# International MultiConference of Engineers and Computer Scientists 2012



ICEE 2012 Home

- Home Page
- Conference Topics
- Publications
- Paper Submission
- Registration
- Important Dates
- Conference Committee
- Travel & Accommodation
- Conference Program
- Past IMECS
- Contact IMECS'2012



Hong Kong, 14-16 March, 2012

[Conferences](#)[Publications](#)[Membership](#)[About IAENG](#)[FAQ](#)[Contact Us](#)

## Publications

The conference proceedings will be published by IAENG (ISBN: 978-988-19251-1-4) in hardcopy. The length of each camera-ready paper will be limited to 6 pages. The registration fee includes the publication of one accepted paper of up to 6 pages in the conference proceeding. For each additional paper by the same author, there is a charge of US\$160 per additional paper.

The camera-ready version of the accepted paper with its assigned paper number can be sent to [imecs@iaeng.org](mailto:imecs@iaeng.org) in pdf format or in MS Word format. The accepted papers will be considered for publication in the special issues of the journal Engineering Letters, in IAENG journals and in edited books. Revised and expanded version of the selected papers may also be included as book chapters in the standalone edited books under the cooperation between IAENG and publishers like Springer.

For reference, the following post conference edited books of our recent IAENG conferences have been published by Springer and America Institute of Physics: [Trends in Intelligent Systems and Computer Engineering](#), [Advances in Communication Systems and Electrical Engineering](#), [Advances in Industrial Engineering and Operations Research](#), and [Current Themes in Engineering Science](#).

The full-text congress proceeding will be indexed in major database indexes so that it can be assess easily. After the publication of the proceeding, print copies will be sent to databases like [JET INSPEC](#), [EBSCO](#), [Thomson Reuters ISI Proceedings](#), [Engineering Information \(Ei\) Compendex](#), The Technology Research Databases (TRD) of [CSA](#) (Cambridge Scientific Abstracts), [DBLP](#), [Scopus](#), [Google Scholar](#), [CiteSeerX](#), and [Computer Science Bibliographies](#) for indexing. As an updated example of our successes, our past proceedings have been indexed by Thomson Reuters [Conference Proceedings Citation Index](#) (formerly called ISI Proceedings), which is an integrated index within Web of Science (updated on January 2010).

## IMECS 2012 Proceeding Templates

The length of each camera-ready paper will be limited to 6 pages. The registration fee includes the publication of one accepted paper of up to 6 pages in the conference proceeding. For papers of more than 6 pages, the page charge is US\$25 per additional page. Each conference participant will be entitled to one proceeding at the conference.

The MS Word Template (in A4 size and the IEEE two-column format) can be downloaded here:

[IMECS2012 MSWord template.doc](#)

[IMECS2012 MSWord template.pdf](#)

The LaTeX Template can be downloaded here (zipped):

[IAENG Conference LaTeX template.zip](#)

The LaTeX Template along with the BibTeX Template can be downloaded here (zipped):

[IAENG Conference LaTeX BibTeX template.zip](#)

The Tex Template (old version) can be downloaded here:

[IMECS2012 Latex example.tex](#)

[IMECS2012 Latex example.pdf](#)

The camera-ready version of the accepted paper with its assigned paper number can be sent to [imecs@iaeng.org](mailto:imecs@iaeng.org) in PDF format or in MS Word format.