



บันทึกข้อความ

ส่วนราชการ ภาควิชาวิศวกรรมเคมี คณะวิศวกรรมศาสตร์ โทร. 3343

ที่ ศธ 0529.8.3/วิ.๘๔

วันที่ 7 ก.ย. ๒๕๕๕

เรื่อง ขออนุมัติค่าตอบแทนการตีพิมพ์ผลงานในวารสารวิชาการระดับนานาชาติ

เรียน รองคณบดีฝ่ายวิจัยและบริการวิชาการ ผ่านหัวหน้าภาควิชาวิศวกรรมเคมี

อ้างถึงประกาศฉบับที่ 40/2550 ประกาศ ณ วันที่ 22 ตุลาคม 2550 คณะวิศวกรรมศาสตร์ เรื่อง “หลักเกณฑ์การจ่ายค่าตอบแทนการตีพิมพ์ผลงานวารสารวิชาการ คณะวิศวกรรมศาสตร์ มหาวิทยาลัย อุบลราชธานี” ตามความทราบแล้วนั้น

เนื่องจากบทความทางวิชาการของผู้ช่วยศาสตราจารย์ ดร.วิภาดา สอนองราษฎร์ ได้รับการตีพิมพ์ใน วารสารวิชาการระดับนานาชาติ Journal of Environmental Biology จำนวน 1 บทความ ในหัวข้อเรื่อง “Application of Nano-TiO₂/LDPE composite film on photocatalytic oxidation degradation of dichloromethan” Volume 33 Number 5 September 2012 page 954-959

ดังนั้น ภาควิชาวิศวกรรมเคมี จึงขออนุมัติค่าตอบแทนการตีพิมพ์ผลงานในวารสารวิชาการใน เรื่องดังกล่าว

จึงเรียนมาเพื่อโปรดพิจารณา

เรียน รองคณบดีฝ่ายวิจัย

เพื่อโปรดพิจารณา

สมาน สอนองราษฎร์
1 ก.ย. ๒๕๕๕

(ผู้ช่วยศาสตราจารย์ ดร.วิภาดา สอนองราษฎร์)

อาจารย์ภาควิชาวิศวกรรมเคมี

เรียน รองคณบดีฝ่ายวิชาการ

ตามที่ได้รับแจ้งจากคุณสมาน สอนองราษฎร์
ได้ขอเสนอค่าตอบแทนการตีพิมพ์ผลงานในวารสารวิชาการ
ในชื่อของรองคณบดีฝ่ายวิชาการแล้ว
เป็นไปตามเกณฑ์การขอรับค่าตอบแทน
การตีพิมพ์ผลงานทางวิชาการที่ปรากฏ
ในระเบียบการขอรับค่าตอบแทนการตีพิมพ์
ผลงานทางวิชาการของมหาวิทยาลัย

10 ก.ย. ๒๕๕๕

คณบดีคณะวิศวกรรมศาสตร์

คณบดี

FRACTION FORM FOR ACADEMIC WORK


Title “Application of Nano-TiO₂/LDPE composite film on photocatalytic oxidation degradation of dichloromethane”

- ได้รับการตีพิมพ์ในวารสารวิชาการ Journal of Environmental Biology Volume 33 Number 5
September 2012 page 954-959

Collaborative work only 5 person:


Collaborative Person	Fraction of Academic Work
1. Wipada Sanongraj	50%
2. Kowit Suwannahong	40%
3. Winai Liengcharernsit	5%
4. Jittiporn Krueenate	5%

ลงนามรับรองข้อมูล.....



(ผู้ช่วยศาสตราจารย์ ดร.วิภาดา สอนงราษฎร์)

ผู้รับผิดชอบบทความ(Corresponding Author)



Journal of Environmental Biology

ISSN: 0254-8704 ; CODEN: JEBIDP

About Journal

[Editorial Board](#)

[Reviewer Panel](#)

[RnD Division](#)

[Subscription Info](#)

[Contact Journal](#)

Read Journal

[Current Issue](#)

[Journal Archives](#)

For Authors

[Authoring Guidelines](#)

[Publication Process](#)

[Track Paper Status](#)

Search the Journal web-site through Google:

Google Search

Introduction

Journal of Environmental Biology is a broad-based, peer-reviewed, leading International Journal, and publishes original research papers dealing with all aspects of Environmental Sciences, Environmental Engineering, Environmental Pollution, Environmental Biotechnology, Toxicology, Forestry and related fields -- in English language. The Journal was started in year 1980 by Dr. R.C. Dalela, and is now rated as one of the leading research journals of the field, covered by most of the Abstracting and Indexing services of the world.

It is of special interest to: Toxicologists, Pharmacologists, Zoologists, Botanists, Ecologists, Microbiologists, Environmental Scientists, Biotechnologists, Industry R&D Organizations, and others engaged in Environmental Research.

The Journal is published bimonthly with six issues in a year: January, March, May, July, September, and November, and contains Research Papers, Short Communications and Review Papers. All the papers are reviewed by a panel of reviewers for their scientific merit. The manuscript decisions are solely based on the results of peer reviews, and in order to eliminate any bias, reviewers are sent the manuscripts with a blind title page.

Rankings

Current rankings of the Journal of Environmental Biology across various standard journal metrics are as follows:

Journal Metric	Current Ranking
SCImago Journal Rank indicator (SJR)	0.48
ISI Impact Factor	0.64
NAAS rating	6.00

Access

Journal of Environmental Biology is an Open Access Journal, with all its articles being published online with an open access, and an online-copy of both the abstract as well as the full text of the article can be downloaded free-of-cost. The full text of all articles published in Journal of Environmental Biology from 2006 onwards, can be accessed openly at this website. Each new issue is published online immediately after the print-issue publication.

One of the focus of the Journal is to provide authors and their research, a global visibility through the printed publication as well as through the world-wide-web, across the scientific and research community. Journal encourages free-flow of knowledge and ideas across the global research community to drive innovation, and is committed to publish the full text of the research that it publishes on the web — with a fully open access to all.

The Journal website can also be used to search the contents of all the online-issues of the Journal on specific keywords.

Journal of Environmental Biology



ISSN: 0254-8704

CODEN: JEBIDP



Founder & Editor-in-chief:

Dr. R.C. Dalela

Published by :

Triveni Enterprises

Lucknow, India



1) General

Journal of Environmental Biology is a broad-based, peer-reviewed, leading International Journal. It is of special interest to: Toxicologists, Pharmacologists, Zoologists, Botanists, Ecologists, Microbiologists, Environmental Scientists, Biotechnologists, Industry R&D organizations, and others engaged in Environmental Research.

Journal is published **bimonthly** with six issues in a year— January, March, May, July, September and November.

The Journal publishes original Research Papers (not exceeding 4000 words), Short Communications (not exceeding 1000 words) and Review Papers (not exceeding 6000 words).

All the papers published in the Journal, are reviewed by a group of reviewers/ referees for their scientific merit. The Manuscript decisions are solely based on the results of peer reviews, and in order to eliminate any bias, Reviewers are sent the manuscripts with a blind title page.

2) Aims and Scope

Journal of Environmental Biology publishes original research papers dealing with all aspects of Environmental Sciences, Environmental Engineering, Environmental Pollution, Environmental Biotechnology, Toxicology, Forestry and related fields—in English language.

Scientists who use English as a foreign language are strongly recommended to have their Manuscripts (MS) checked by a native English speaking colleague for linguistic correctness, before submission.

3) Manuscript Preparation

Manuscript should be computer typed in double spacing on one side of A4 size white paper, leaving wide margin on both sides. The Manuscript should be prepared strictly as per the following guidelines :

- (a) Use standard symbols of Units conforming to the International System of Units (SI). Some examples are: km, m, cm, mm, μm , \AA , nm, kg, g, mg, μg , mol (mole), l (liter), ml (milliliter), μl (micro liter), eV (electron - Volt), d (day), hr (hour), min (minute), s (second), ms (millisecond), μs (microsecond), ppm (parts per million), $^{\circ}\text{C}$ (centigrade), SD (standard deviation), SE (standard error), CV (coefficient of variation), sc (subcutaneous), ip (intraperitoneal), iv (intravenous), mg l^{-1} (milligram per liter), ms^{-1} (meter per second), g l^{-1} (grams per liter), ha (hectare).

For enzymes, use the trivial names as recommended by IUPAC-IUB Commission.

For abbreviations, standard international practices should be used. Full form of all abbreviations should be given at their first citation.

- (b) Tables should be typed in Microsoft-Word Table format on separate pages, and should be numbered using Arabic numerals. They should be supplied with headings and should be referred to as "Table 1, 2, ...".
- (c) Figures (illustrations, graphs, histograms, photographs etc.) should be prepared in quality art work, or by machine, for direct photo-reproduction. Photographs should be sharp and contrasted. Plan all figures to suit a column width of 8.2 cm or a page width of 17 cm. Figures may be combined to a maximum plate size of 17x23.5 cm. Colored figures can also be printed. Figures must be submitted in JPEG or TIFF or EPS format, with a resolution between 300-600 dpi. Figures should be submitted on separate pages and numbered consecutively with Arabic numerals (e.g. Fig. 3). Legends for figures should be given below the figures. Illustrations taken from outside source should be accompanied with source (reference).
- (d) Page 1 of the paper should contain the following:
1. Title of the paper- concise and descriptive
 2. Author(s) name(s)
 3. Author(s) affiliations

4. Short running title
5. Postal address and phone number of corresponding author
6. E-mail ID of the corresponding author
7. Total number of Tables and Figures in the paper

- (e) Page 2 should contain the Title of the paper, followed by the Abstract (about 200 words), 4-5 Key words and Text proper. To facilitate the review process, there should be no name(s) and address(es) of the author(s) on this and the subsequent pages of the Text.

Abstract should be in single paragraph and should indicate significant findings with data / data range and conclusions. It should be in a form such that abstracting agencies may use it without change.

Key words should adequately index the subject matter and should not be superfluous. They should be arranged in alphabetical order.

Text proper should be subdivided into sections:

1. Introduction
2. Materials and Methods
3. Results and Discussion
4. Acknowledgements
5. References

Do not use capital letters for author names and headlines. All scientific names, from the level of genus downward, should be made italics (e.g. *Rattus rattus*)

Introduction should precisely include the aims of the study. It should be concise and specific with no sub-headings. Exhaustive reviewing of literature should be avoided; only necessary and latest ones which indicate the reasons for the research undertaken, should be given.

Materials and Methods should be sufficiently detailed to enable the experiments to be reproduced. The techniques and methodology adopted should be supported with standard references.

Results and Discussion should be combined. Results may be split into sub-headings. Data emerging out from the study should be included, arranged in a unified and coherent sequence, and statistically analyzed with significance. The same data should not be presented both in Tabular and Graphic forms. Only necessary tables and figures should be given. Lengthy, confusing and irrelevant discussion should be scrupulously avoided. It should deal with interpretations and the conclusions drawn, based on results and supported by relevant latest references. Repetitions should be curtailed.

Acknowledgements should include the names of those who contributed substantially to the work described in the manuscript but do not fulfill the requirements for the authorship. It should also include the sponsor or the funding agency of the project.

References should be cited in the Text by the surname of the author(s) and the year e.g. Garg (2009), Cavusoglu and Yalcin (2010). In case of more than two authors, surname of the first author followed by *et al.* and the year should be cited in the text e.g. Chen *et al.* (2010). If two or more papers were published by the same author in one year, distinction of these should be made by adding a, b or c -- e.g. Chandra (2010 a, b).

In the list of references (Reference section) at the end of the paper, full and complete references should be given in the style and punctuation given in cover page 3, arranged alphabetically by first author's surname.

When papers originally published in languages other than English (e.g. Chinese, Turkish, Japanese, Spanish.....) are cited in the text, their references in the Reference section should be translated into English language, along with the original language.

While giving the names of the periodicals, standard abbreviations listed in the International Serials Catalogue, published by International Council of Scientific Unions Abstracting Board (ICSUAB) should be used. Even if a reference contains more than two authors, the names of all the authors should be given.



Application of Nano-TiO₂/LDPE composite film on photocatalytic oxidation degradation of dichloromethane

Author Details

Kowit Suwannahong	Department of Environmental Engineering, Faculty of Engineering, Kasetsart University, Bangkok 10900, Thailand
Winai Liengcharernsit	Department of Environmental Engineering, Faculty of Engineering, Kasetsart University, Bangkok 10900, Thailand
Wipada Sanongraj (Corresponding author)	Department of Chemical Engineering, Faculty of Engineering, Ubon Ratchathani University, Ubonratchathani 34190, Thailand e-mail: wipadadechapanya@yahoo.com
Jittiporn Kruenate	National Metal and Materials Technology Center, 114 Thailand Science Park, Paholyothin Road, Klong Luang, Patumthani 12120, Thailand

Publication Data

Paper received:
25 February 2011

Revised received:
27 September 2011

Accepted:
17 October 2011

Abstract

This study focused on the photocatalytic destruction of dichloromethane (DCM) in indoor air using the nano-TiO₂/LDPE composite film as an economical photocatalyst. The nano-TiO₂ was dispersed in a polyethylene matrix to form composite film. The photocatalytic activity of the nano-TiO₂/LDPE composite films was evaluated through the degradation of dichloromethane (DCM) under UV-C irradiance at specific wavelength of 254 nm. The percentage of nano-TiO₂ contents varied from 0, 5, and 10% (wt cat./wt LDPE composite film). The results derived from the kinetic model revealed that the photocatalytic rates of 5 and 10 wt.% nano-TiO₂/LDPE composite films follow the first order reaction while the rate of the film without TiO₂ followed the zero order reaction. At low concentration of DCM, the rate of photocatalytic degradation of the DCM was slower than that at high DCM concentration. The 10 wt.% of TiO₂ content of the nano-TiO₂/LDPE composite film yielded the highest degradation efficiency of 78%, followed by the removal efficiency of 55% for the 5 wt.% of TiO₂ content of the nano-TiO₂/LDPE composite film. In contrast with the composite film containing nano-TiO₂, the LDPE film without adding nano-TiO₂ expressed the degradation efficiency of 28%.

Key words

Titanium dioxide, Nano-TiO₂/LDPE composite film, Dichloromethane, Photocatalytic degradation

Introduction

Chlorinated volatile organic compounds (VOCs) in indoor air environments has received great attention from many scientists and researchers due to their toxicity and carcinogenicity (Hager *et al.*, 2005). Unfortunately, application of traditional method for indoor VOCs treatment seems impractical at low level concentration. For instant, adsorption process, which has been the most commonly used method to treat indoor air contaminants, is practical but ineffective for some types of organic compounds (Jo *et al.*, 2004). Recently, photocatalytic oxidation (PCO) has been gaining attention as a possible alternative method for indoor air purification because it

promises to clean air more efficiently and effectively (Jacoby *et al.*, 1996). In the PCO reaction, UV light was used to activate the catalyst to generate hydroxyl radicals (OH^{*}) which reacted with organic contaminants. The contaminants were then transformed into less harmful substances. The photocatalyst mainly used in the PCO was titanium dioxide (TiO₂) because of its physical and chemical stability, non-toxicity, lowest cost, and resistance to corrosive. In order to activate TiO₂, it is necessary to supply the light intensity with energy higher than the energy band gap (E_{bg}) of TiO₂. It has been reviewed by numbers of researchers that different forms of TiO₂ such as thin and thick film coating, powder, membrane, and sol-gel have been utilized to make this photocatalyst more efficient

and more applicable (Hung *et al.*, 2007; Liu *et al.*, 2006; Sonawane *et al.*, 2004). Previous studies indicated that the method of photocatalyst production and its physical form were among the most determining parameters influencing the overall photocatalytic efficiency. Recently, TiO_2 film which was prepared via sol-gel processing (Yu *et al.*, 2000) and the degradation of organic compounds under UV light has been reported (Naskar *et al.*, 1998). In this study, the nano- TiO_2 incorporating in polyethylene plastic film (TiO_2/LDPE) has been newly introduced as a photocatalyst material. This is because the nano- TiO_2/LDPE composite film was economic and efficient technique for indoor air treatment application.

The characterizations of the nano- TiO_2/LDPE composite films were examined by the X-ray diffractometer (XRD), the UV VIS near-IR spectrophotometer, and the scanning electron microscope (SEM) to observe how homogenizing and well mixing of nano- TiO_2 in the LDPE polymer. In addition, removal efficiencies of dichloromethane (DCM) in gas phase using nano- TiO_2 incorporating in LDPE film as photocatalyst material was investigated.

Materials and Methods

Photocatalyst film and characterization : The TiO_2 powder, A220 (Ishihara Kaisha company), with varying contents, e.g. 0, 5, and 10 wt. %, were incorporated in molten LDPE resins (TPI Polene Co. Ltd.) using the twin screw extruder. Certain amount of polyethylene graft maleic anhydride was added during the compounding process in order to improve the dispersion of the nano- TiO_2 and enhance the compatibility between TiO_2 and LDPE matrix. The nano- TiO_2/LDPE composite films with the thickness of 30 μm were obtained from the blown film extrusion technique using the operation temperature in a range of 150°C-180°C (Zhiyong *et al.*, 2007 and Suwannahong *et al.*, 2010).

Morphology and optical properties : The microstructure of the nano- TiO_2/LDPE composite film was examined by using the scanning electron microscope (SEM, Model Jx A-840, JEOL, Japan). In order to prevent the charge build-up during SEM observation, samples were coated with gold which was used for ion sputter target. The sputter rate and time were set for 10 nm min^{-1} and 3 min, respectively. The gold film thickness was approximately 30 nm (Shinde *et al.*, 2008).

The ultraviolet-visible spectra of the photocatalysts were recorded by the UV-VIS spectrophotometer (Lambda 35, Perkin Elmer instrument, USA) equipped with the integrating sphere. A BaSO_4 dye was used as a reference. The scan ranged from 200 to 1,000 nm. All spectra was monitored in the absorbance mode and acquired under ambient conditions. The band gap energy of the nano- TiO_2/LDPE composite film was calculated from absorbance results (Shinde *et al.*, 2008). The optical absorbance spectra, the adsorption coefficient and the band gap energy of the nano- TiO_2/LDPE composite film were evaluated. Briefly, the absorption coefficient was calculated using the following relation, $\alpha = \ln(1/d)/\tau$, where τ is the transmittance and d is the thickness of the film. The thickness

of the film was also evaluated from the UV spectrum and the average value corresponded to 260 nm. The band-gap energy was obtained by plotting the optical absorption $(\alpha h\nu)^2$ and the photon energy $(h\nu)$. Then the extrapolation of the linear portion of the curve must be performed to receive the band gap energy (Stamate *et al.*, 2005).

X-ray diffraction (XRD) : The crystalline structures of photocatalysts were determined by the XRD technique. XRD patterns were obtained on the X-ray diffractometer (Model 6000, Shimadzu, Japan) using $\text{Cu K}\alpha$ and radiation with a nickel filter. The current and voltage applied were 30 mA and 40 KV, respectively. The scan ranged from 10° to 80° with a scan rate of 2° min^{-1} (Shifu *et al.*, 2009).

Photocatalytic oxidation reactor : The photocatalytic oxidation reactor used in this study is an annular closed-system. The reactor is composed of an UV-C lamp with 254 nm wavelength. The UV light intensity was recorded using a digital radiometer equipped with a UV-C sensor. The nano- TiO_2/LDPE composite film was inserted inside the chamber. The humidity and temperature were monitored continuously using the thermo-hygrometer (DT-2 Kingtill). The reactor was connected with the air compressor pump which can be adjusted air flow rate from 0 to 5 l min^{-1} . The gas sample was pumped through the annular region. The reactor was designed to direct flow of incoming air toward the nano- TiO_2/LDPE composite film thereby, enhancing the distribution of the air pollutant onto the catalytic surface of the film.

The photocatalytic degradation of DCM using the nano- TiO_2/LDPE composite film was conducted in the continuous flow reactor at operating conditions as described by Suwannahong *et al.* (2010). The gas sample applied for all experiments was from a compressed air tube. After the DCM initial concentration was at steady state, the UV-C lamp was turned on. This step is necessary for the DCM in order to reach the adsorption equilibrium. The quantitative analysis of pollutant was made with the gas chromatograph (GC) equipped with a flame ionization detector (FID, model 5890, Hewlett Packard, USA). The gas sample with the volume of 1 ml was collected from the reactor using a gas syringe and was then injected into the GC-FID with a capillary column CP sil 8. The injector temperature was set at about 250°C and the initial column temperature was set at about 50°C and was increased to 110°C at a rate of 40°C min^{-1} (Hung *et al.*, 2007). Since there was only one contaminant in this study, a single site Langmuir-Hinshelwood (L-H) model was introduced to evaluate photocatalytic rates (Obee *et al.*, 1996; Obuchi *et al.*, 1999, and Coronado *et al.*, 2003).

Results and Discussion

Surface morphology of TiO_2 is one of the most important factors which can affect the efficiency of photocatalyst. In spite of readily agglomerating on the LDPE film, the TiO_2 was found to be deposited and well dispersed in the polyethylene matrix as seen in Fig. 1. The SEM images also reveal that number of lump of TiO_2




Fig. 1: SEM micrographs (A) LDPE film (B) 10 wt.% nano-TiO₂/LDPE composite film




Fig. 2: UV absorbance spectra of the nano-TiO₂/LDPE composite film at various TiO₂ contents.




Fig. 3: X-ray diffraction patterns (a) nano-TiO₂ powder, (b) LDPE film, (c) 5 wt.% nano-TiO₂/LDPE composite film, and (d) 10 wt.% nano-TiO₂/LDPE composite film




Fig. 4: PCO degradation of DCM at different dosages of TiO₂




Fig. 5: Correlation between $\ln(C/C_0)$ and time at different percentages of TiO₂

Table- 1: Band gap energy of the nano-TiO₂/LDPE composite film at various amounts of TiO₂.

nano-TiO ₂ contents (wt.%)	Band gap energy (E _g , eV)
0	2.93
5	3.13
10	3.21

Table- 2: Simplified Langmuir-Hinshelwood form, $\ln(C/C_0) = -kKt = -K't$, at different dosages of TiO₂.

Dosage of TiO ₂	Simplified Langmuir Hinshelwood form	K'(min ⁻¹)	R ²
LDPE Composite film	-0.0016t + 1.0351	-0.0016	0.8853
5 % wt TiO ₂ , LDPE composite film	-0.0032t + 1.0727	-0.0032	0.9544
10 % wt TiO ₂ , LDPE composite film	-0.0062t + 0.9324	-0.0062	0.9629

increased as increase in dosage of TiO₂. Moreover, as the amount of the nano-TiO₂ content increases the dispersion ability of the TiO₂ decreases affecting the efficiency of photocatalytic activity. In order to overcome such drawback, the compatibilizer was added into the nano-TiO₂/LDPE composite matrix.

As seen from the spectra in Fig. 2, virgin LDPE film rarely absorbed UV light with wavelength lower than 400 nm, while the 5 and 10 wt.% nano-TiO₂/LDPE composite films showed strong absorption. The 10 wt.% nano-TiO₂/LDPE composite film exhibited the broadest absorption peak followed by the 5 wt.% nano-TiO₂/LDPE composite film and the virgin LDPE film, respectively.

The band gap energy of the nano-TiO₂/LDPE composite films was estimated using the equation described by Ishu et al. (2006). The values of the calculated band gap energy of the nano-TiO₂/LDPE film at various dosages of TiO₂ are summarized in Table 1. The band gap energy of the 10 wt.% nano-TiO₂/LDPE film was approximately 3.2 eV, which was in a good agreement with other results (Andronic et al., 2007).

The XRD patterns of both 5 wt.% and 10 wt.% TiO₂/LDPE composite films show clear sharp peaks indicating the anatase phase. The XRD patterns also reveal that the anatase peaks (101) obviously increased with the amount of nano-TiO₂ (Jiang et al., 2009). Moreover, the XRD peak of 10 wt.% nano-TiO₂/LDPE composite film exhibited a similar intensity as that of the TiO₂ powder in anatase form. Consequently, the XRD pattern of 10 wt.% TiO₂/LDPE composite film shows the strongest sharp peak of anatase phase as shown in Fig. 3. The XRD patterns also revealed an increase in the intensity of the anatase peak as increasing the nano-TiO₂ contents which will enhance the efficiency of photocatalytic degradation of the TiO₂/LDPE composite films.

For DCM photocatalytic degradation using the nano TiO₂/LDPE composite film, the dosages of TiO₂ were varied from 0, 5, and 10% (wt cat./wt film) as shown in Fig. 4. The nano-TiO₂/LDPE composite film at 10 wt.% TiO₂ yielded the highest degradation efficiency (78%), followed by the removal efficiency of 55% of the nano-TiO₂/LDPE composite film at 5 wt.% TiO₂. While the virgin LDPE film expressed the degradation efficiency of 28%.

Fig. 5 shows the correlation between $\ln(C/C_0)$ at different dosages of TiO₂ using the same initial concentration of dichloromethane and illumination time. The plots indicate that the slopes of fitted straight line using the least square method followed the first order kinetic for the 5 wt.% and 10 wt.% nano-TiO₂ composite films whereas the reaction of the 0 wt.% nano-TiO₂/LDPE composite film appears to be close toward zero order. The Simplified Langmuir-Hinshelwood form, $\ln(C/C_0) = -kKt = -K't$, at different dosages of TiO₂ are displayed in Table 2.

From the experimental point of view, the lower the initial DCM concentration, the more difficult adsorption on the photocatalyst surface of the DCM. The obtained result led to lower adsorption constant rates of photocatalyst because the photooxidation rate was controlled by the catalyst surface in photochemical reaction (Bouanimba et al., 2011).

Acknowledgments

The authors would like to express gratitude to Department of Environmental Engineering, Faculty of Engineering, Kasetsart University and Department of Chemical Engineering, Faculty of Engineering, Ubon Ratchathani University. The National Metal and Material Technology Center (MTEC) is also recognized.

References

- Andronic, L. and Anca Duta: TiO₂ thin films for dyes photodegradation. *Thin Solid Films*, **515**, 6294-6297 (2007).
- Bouanimba, N., R. Zouaghi, N. Laid and T. Sehlil: Factors influencing the photocatalytic decolorization of bromophenol blue in aqueous solution with different types of TiO₂ as photocatalysts. *Desalination*, **275**, 224-230 (2011).
- Coronado, M.J., M.E. Zorn, I. Tejedor and M.A. Anderson: Photocatalytic oxidation of ketones in the gas phase over TiO₂ thin films: A kinetic study on the influence of water vapor. *Appl. Catal. Environ.*, **43**, 329-344 (2003).
- Hager, S., R. Bauer and G. Kudiela: Photocatalytic oxidation of gaseous chlorinated organic over titanium dioxide. *Chemosphere*, **41**, 1219-1225 (2000).
- Liu, H., Z. Lian, X. Ye and W. Shangguan: Kinetic analysis of photocatalytic oxidation of gas-phase formaldehyde over titanium dioxide. *Chemosphere*, **60**, 630-635 (2005).
- Hung, W., Ssu-Han Fu, Jeou-Jen Tseng, Hsin Chu and Tzu Ko: Study on photocatalytic degradation of gaseous dichloromethane using pure and iron ion-doped TiO₂ prepared by the sol-gel method. *Chemosphere*, **66**, 2142-2151 (2007).
- Ishu, S., K. Tripathi and P.B. Barman: Influence of composition on the optical band gap in a Ge₂OSe_{80-x}In_x thin films. *Chalcogenide Lett.*, **3**, 121-124 (2006).
- Jiang, F., Zheng Zheng, Zhaoyi Xu and Shourong Zheng: Preparation and characterization of SiO₂-pillared H₂Ti₄O₉ and its photocatalytic activity for methylene blue degradation. *J. Hazard. Mater.*, **164**, 1250-1256

- (2009).
- Jacoby, W.A., D.M. Blake, J.A. Fennell, J.E. Boulter, L.M. Vargo, M.C. George and S.K. Dolberg: Heterogeneous photocatalysis for control of volatile organic compounds in indoor air. *J. Air Waste Manage. Assoc.*, **46**, 891-898 (1996).
- Jo, W. and Kun-Ho Park: Heterogeneous photocatalysis of aromatic and chlorinated volatile organic compounds (VOCs) for non-occupational indoor air application. *Chemosphere*, **57**, 555-565 (2004).
- Liu, Q., Mi Zhou, Qiang Liu, Jin Zhang and Zhong-qi Zhu: Synthesis of photocatalytic TiO_2 nanoparticles at low cost. *Trans. Nonf. Met. Soc. Chi.*, **16**, 411-413 (2006).
- Naskar, S., S. Arumugom Pillay and Manas Chanda: Photocatalytic degradation of organic dyes in aqueous Solution with TiO_2 nanoparticles immobilized on foamed polyethylene sheet. *J. Photoch. Photobio.*, **113**, 257-264 (1998).
- Obee, N.T.: Photooxidation of sub-part-per-million toluene and formaldehyde levels on titania using a glass-plate reactor. *Environ. Sci. Technol.*, **30**, 3578-3584 (1996).
- Obuchi, E., T. Sakamoto, K. Nakano and F. Shiraishi: Photocatalytic decomposition of acetaldehyde over $\text{TiO}_2/\text{SiO}_2$ catalyst. *Chem. Eng. Sci.*, **54**, 1525-1530 (1999).
- Stamate, M., I. Vascan, I. Lazar, G. Lazar, I. Caraman and M. Caraman: Optical and surface properties TiO_2 thin films deposited by DC magnetron sputtering method. *J. Optoelectron Adv.*, **7**, 771-774 (2005).
- Shifu, C., Zhao Wei, Zhang Sujuan and Liu Wei: Preparation, characterization and photocatalytic activity of N-containing ZnO power. *Chem. Eng. J.*, **148**, 263-269 (2009).
- Shinde, P.S., S.B. Sadale, P.S. Patil, P.N. Bhosale, A. Bruger, M. Neumann-Spallart and C.H. Bhosale: Properties of spray deposited titanium dioxide thin films and their application in photoelectrocatalysis. *Sol. Energ. Mat. Sol.*, **92**, 283-290 (2008).
- Sonawane, S.R., S.G. Hegde and M.K. Dongore: Preparation of titanium (IV) oxide thin film photocatalyst by sol-gel dip coating. *Mater. Chem. Phys.*, **77**, 744-750 (2003).
- Suwannahong, K., W. Liengcharoensit and W. Sanongraj: TiO_2 composite film prepared by the blown film extrusion technique. In Proceeding: The Asian-Pacific Regional Conference on Practical Environmental Technologies. Ubonratchathani, Thailand (2010).
- Yu, L. Q. and H.J.H. Brouwers: Indoor air purification using heterogeneous photocatalytic oxidation. Part I: Experimental study. *App. Catal. Environ.*, **92**, 454-461 (2009).
- Zhiyong, Y., E. Mielczarski, J. Mielczarski, D. Laub, Ph. Buffat, U. Klehm, P. Albers, K. Lee, A. Kulik, L. Kiwi-Minsker, A. Renken and J. Kiwi: Preparation, stabilization and characterization of TiO_2 on thin polyethylene films (LDPE). Photocatalytic applications. *Water Res.*, **41**, 862-874 (2007).



Paper in a Journal

Migal, M. G.: The cladoceran trophic status in the nitrogen limited ecosystem of lake Kinneret (Israel). *J. Environ. Biol.*, **32**, 455-462 (2011).

Seo, Yoo-Na and Mi-Young Lee : Inhibitory effect of antioxidants on the benz[a]anthracene-induced oxidative DNA damage in lymphocyte. *J. Environ. Biol.*, **32**, 7-10 (2011).

Sharma, M., S.C. Pant, J.C. Pant and R. Vijayaraghavan : Nitrogen and sulphur mustard induced histopathological observations in mouse visceral organs. *J. Environ. Biol.*, **32**, 891 - 905 (2010).

Book

APHA: Standard methods for examination of water and wastewater. 21st Edn. APHA, AWWA, WPCF, Washington DC, USA (2005).

Zakrzewski, S. F.: Environmental Toxicology. Oxford University Press, Inc., New York, 3rd Edn. (2002).

Chapter in a Book

Wilkinson, C.F.: Introduction and overview. In: The effects of pesticides on human health (Eds.: S.R. Bakers and C.F. Wilkinson). Princeton Scientific Publishing Co. Inc., Princeton, NJ. p. 5 (1990).

- The abbreviations *et al.*, *idem* and *ibid* should not be used in reference section.
- Unpublished research including online and personal communication should not be cited in the Text and the Reference sections.
- Footnotes should be avoided.

4) Manuscript Submission

Manuscript should be submitted by post with the following mandatory elements:

1. One hard-copy of the Manuscript
2. CD of the Manuscript
3. Editor Fee
4. Panel of four Reviewers

Soft-copy of the Manuscript should be sent by e-mail to: editor@jeb.co.in

Acknowledgement of the manuscript will be sent to the Corresponding author and the Manuscript Registration Number (MRN) will be assigned. Please use this number for all further communications.

The process of review shall start only after the Editor Fee is credited to our Bank account.

A panel of four potential reviewers (scientists / experts of the field) for reviewing the Manuscript should be provided on a separate page with their complete contact details including postal address, e-mail, and telephone.

Submission of a Manuscript to this Journal implies that it is not under consideration for publication elsewhere, and has been approved by all the authors and the concerned institutions.

Submission which does not conform to the guidelines may not be considered for publication

Materials contained in the Manuscript represent the opinion of the author(s) alone and should not be construed as the opinion of the Editors or/and the Publisher.

5) Computer Disk

A CD of the Manuscript is to be submitted at two stages:

- a) at the time of initial manuscript submission
- b) at the time of revised manuscript submission

6) Submission of Revised Manuscript

After receiving the Reviewer Reports, the Manuscript may be sent back to

the corresponding author for revision. The revised Manuscript should be submitted by post with the following mandatory elements:

- a) One hard-copy of the final revised version of the manuscript
- b) CD of the final revised manuscript in Microsoft-Word (2003 or higher version)
- c) Certification and Copyright transfer agreement form-completed and signed
- d) Author's Checklist - completed and signed

Soft-copy of the final revised Manuscript should be sent by e-mail to: editor@jeb.co.in

The hard-copy of the final revised Manuscript should exactly match the soft copy sent by e-mail and CD. Label the CD with the Manuscript Registration Number (MRN) along with the Author(s) names.

The Journal is published directly in page set. Authors are, therefore, advised to mark the positions for Figures and Tables in the left margin of the Manuscript.

7) Page Proofs

Page-proofs will be sent to the Corresponding author only once for approval, and for minor corrections. Please mark printer's errors in red and author's alterations in blue. Excessive changes / alterations made in page-proofs by Authors will be charged as per line reset.

8) Fees and Payments

There are two separate Fees that are applied to Authors: Editor Fee, and Page Fee

Editor Fee must accompany each paper at the time of first submission, and it is Non-Refundable. The fee details are as follows:

For India-based Authors	INR 1200
For outside-India-based Authors	USD 60

Page Fee invoice will be sent to the Corresponding author after the Manuscript has been accepted for publication post-review. Page Fee should be paid immediately after the receipt of the invoice. Page Fee will make the corresponding author entitled to receive FREE not only the PDF of the paper but also 05 reprints (hard copies) and a copy of the issue of the Journal (with published paper).

An **Extra Fee** may be applicable to some manuscripts depending on the usage of colored figures, extensive tables, and excessive changes in page proofs. This would be assessed on a case-by-case basis, and the authors would be invoiced for it along with the Page Fee.

India-based Authors should make all payments in the form of Bank's Demand Draft in favor of: **Triveni Enterprises**, payable at: **Lucknow, India**.

Outside-India based Authors should make all payments only by direct wire-transfer to our bank account in India.

9) Copyright

Copyright of all the papers published in *Journal of Environmental Biology* belongs to Triveni Enterprises, Lucknow, India.

10) Contact and Correspondence

All communication should be addressed to the Editor, the contact details are as follows:

Postal Address	Journal of Environmental Biology, Editor-in-chief 1/206, Vikas Nagar, Lucknow - 226 022 (India)
E-mail	editor@jeb.co.in
Telephones	+91 522 4017359 (O) +91 522 2769018 (R)



Announcement : An Open Access Journal

Journal of Environmental Biology is now online with completely open access

The full text of all articles published in *Journal of Environmental Biology* from 2006 onwards, can now be accessed at the website of the Journal: www.jeb.co.in with each new issue being published online also, immediately after the print-issue publication. All the articles are published online with an open access, and an online-copy of both the abstract as well as the full text of the article can be downloaded **free** of cost. Archives of issues earlier than 2006 are also in the process of getting published online.

One of the main focus of the Journal is to provide authors and their research, a global visibility through the printed publication as well as through the world-wide-web, across the scientific and research community. Journal encourages free-flow of knowledge and ideas across the global research community to drive innovation, and is committed to publish the full text of the research that it publishes on the web – with a fully open access to all.

The Journal website can also be used to search the contents of all the online-issues of the Journal on specific keywords.